



KRey

PATENT APPLICATION

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:

Kenji MORITA

Application No.: 10/627,815

Filed: July 28, 2003

For: METHOD, APPARATUS, AND
SYSTEM FOR CONTROLLING
A CAMERA, AND A STORAGE
MEDIUM STORING A PROGRAM
USED WITH THE METHOD,
APPARATUS AND/OR SYSTEM

)
: Examiner: Unassigned

)
: Group Art Unit: 2612

: November 1, 2005

Mail Stop Amendment
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

SECOND INFORMATION DISCLOSURE STATEMENT

Sir:

In compliance with the duty of disclosure under 37 C.F.R. § 1.56 and in accordance with the practice under 37 C.F.R. §§ 1.97 and 1.98, the Examiner's attention is directed to the documents listed on the enclosed Form PTO-1449. Copies of the listed documents are enclosed.

REMARKS

The following documents were cited in a Japanese Office Action of a foreign counterpart application (Japanese Patent Application No. H08-319897):

- (1) JP Laid-Open No. H08-163411;
- (2) JP Laid-Open No. H05-268502;
- (3) JP Laid-Open No. H06-205408; and
- (4) JP Laid-Open No. H08-181902.

The Japanese Office Action is dated July 29, 2005. A copy of the Japanese Office Action is also enclosed. English-language Abstracts for each cited Japanese document are also enclosed.

FORMAL MATTERS


No fee is believed due; however, any fee required in connection with this paper should be charged to Deposit Account No. 06-1205.

CONCLUSION

It is respectfully requested that the above information be considered by the Examiner and that a copy of the enclosed Form PTO-1449 be returned indicating that such information has been considered.

Applicant's undersigned attorney may be reached in our Washington, D.C. office by telephone at (202) 530-1010. All correspondence should continue to be directed to our address given below.

Respectfully submitted,



Attorney for Applicant
Daniel S. Glueck
Registration No. 37,838

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3800
Facsimile: (212) 218-220

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Sheet 1 of 1

DSG/cm^g